

# eScan OS A3+

Modular, Fast, Reliable



Heritage digitization



# eScan Open System A3+

Scanners with matrix sensors

### Book cradlemodular

Two book cradle available:

Book cradle classic



Manual, without glass

Book cradle professional



Motorized, semi-automatic glass

→ Scanner modularity

Book thickness and weight: up to 15 cm and up to 15 Kg

Adapted to several document types



Uniform LED lighting throughout the book cradle

Optimum coverage of the entire scene

#### No flashing

→ Improved operator comfort

# The highest level of image quality

Camera 71 Mpixels

→ Optical resolution of 400 dpi in A3+ format

MTF at 400 dpi: >85% resolution efficiency (6,7lp/

→ «Professional» configuration

MTF at 300 dpi: 100% resolution efficiency (5,9lp/

«Classic» configuration

2 cameras available



Camera E-HRIS 400 dpi standard



Camera EAGLE High resolution 400 dpi BoostPic

eScan OS A3 is compliant with ISO 19264-1/B, Metamorfoze Light and FADGI 3\* standards. (EAGLE camera).







#### BoostPic

Make the finest details visible Better sharpness / Lower-noise / Higher contrast





#### Scan Format

**A3+**: up to 560 x 400 (mm) / (22" x 15.7")

# High level of productivity and ergonomics

Scan time: <1s at 400 dpi Cycle time: <3s at 400 dpi

Similar scan times for all formats

Automatic format detection before scanning Self-calibration

→ High-performance A3 scanner


#### eScan Open System A3+

#### Technical specifications

TYPE	A3+ format planetary book scanner
CAMERA	EAGLE or E-HRIS with 71 MPixels matrix sensor Autofocus No mechanical shutter Color, Grayscale, Black & White
OPTICAL RESOLUTION	400x400 dpi up to 600x600 dpi
SCAN TIME	<1 sec on A3+ format, 400 dpi in color
CYCLE TIME	< 3 sec on A3+ format, 400 dpi in color, TIFF files
FILE FORMATS	TIFF (multipage), JPEG, JPEG2000, BMP, PDF (multipage), PNG, DNG
SOFTWARE	Limb Capture software operated with Windows 10, 11.
DIMENSIONS (L X I X h)	Scanner with book cradle (BC): 1200 mm x 790 mm x 1330 mm
WEIGHT	Scanner: 65 kg
POWER REQUIREMENTS	100V - 240V AC, 50/60 Hz
WARRANTY	1 Year on spare parts and software updates (extension possible).
CERTIFICATIONS	CE/FCC part 15 compliant, Electrical safety low current EN 62368-1. Radio interference EN55032. EN61000-3-2.

EN61000-3-3, Electromagnetic immunity EN 55024







The scanner is compatible with all digisolution software

### About Digibook





5000 scanners sold worldwide



+ 10 millions scanned pages per year

