



CopiBook V-Shape A1 & A2

*Preserve the authenticity
of precious documents*



Digibook

Heritage digitization



CopiBook V-Shape A1 & A2

Scanners with matrix sensor

Unique Book cradle

Opening angle **120°**
110° option available

✓ *Binding protection*

Automatic glass opening and closing
Motorized platens

✓ *Ergonomic scanning*

Secure pressure adjustment system

✓ *Document preservation*

Book thickness and weight: up to 20 cm thick
without glass and up to 20 Kg

✓ *Adaptable to various document types*



Optimized Lighting system

LED lighting **without UV and IR emissions**

✓ *Document preservation*

Light **diffuser**

✓ *No dazzling light for operators*

Outstanding *image quality*

9 cm depth of field

✓ *Extended sharpness to capture every detail*

2 cameras available

✓ *Configurations to suit every need*



EAGLE Camera

600 dpi A2 / 400 dpi A1
2 x 71 Mpixels
BoostPic



ROCK Camera

800 dpi A2 / 600 dpi A1
2 x 156 Mpixels
BoostPic and TrueColor™

CopiBook V-Shape is compatible with the following standards **ISO 19264-1/B**, **Metamorfoze Light** and **FADGI 3*** (EAGLE and ROCK cameras).



High level of *productivity and ergonomics*

Scan time : <1s à 600 dpi

Cycle time : <9s à 600 dpi

✓ *Identical scan times for all formats*

Real-time preview

Automatic calibration

✓ *Saves time at every stage of digitization*

Scan Format

A2: Up to 420 x 594 (mm) / (16.5" x 23.4")
with glass

A1: Up to 594 x 841 (mm) / (23.4" x 33.1")
with glass

BoostPic

Make the finest details

Better sharpness / Lower-noise / Higher-contrast



True to life color digitization

No moiré pattern



BEFORE

AFTER




BEFORE

AFTER

CopiBook V-Shape A1 & A2

Technical specifications

| TYPE | 2xA3 format planetary book scanner | 2xA2 format planetary book scanner |
|------------------------|--|---|
| CAMERA | EAGLE with 71 MPixels matrix sensor, Or ROCK camera with 156 Mpixels Autofocus No mechanical shutter Color, Grayscale, Black & White | |
| OPTICAL RESOLUTION | 600x600 dpi EAGLE camera 800x800 dpi ROCK camera | 400x400 dpi EAGLE camera 600x600 dpi ROCK camera |
| SCAN TIME | < 1 sec at 600 dpi in color | |
| CYCLE TIME | < 9 sec at 600 dpi in color | |
| FILE FORMATS | TIFF, TIFF (multipage), JPEG, JPEG2000, BMP, PDF (multipage), PDF, PNG, DNG | |
| SOFTWARE | Limb Capture software operated with Windows 10, 11 and higher versions | |
| DIMENSIONS (L X L X H) | Scanner with book cradle (BC): 2000 mm x 1350 mm x 2100 mm / 78,7" x 53,2" x 82,7" | |
| WEIGHT | Scanner : 116,9 lb | |
| POWER REQUIREMENTS | 100V – 240V AC, 50/60 Hz | |
| WARRANTY | 1 year on spare parts and software updates (can be extended) | |
| CERTIFICATIONS | CE/FCC part 15 conformity, Low voltage electrical safety EN 62368-1, radioelectrical disturbances EN55032, EN61000-3-2, EN61000-3-3, electromagnetic immunity EN 55024 | |



The scanner is compatible with all digisolution software

About Digibook



50 international
partners



5000 scanners
sold worldwide



+ 10 millions
scanned pages per year



Digibook

28, rue Jean Perrin
33600 Pessac, France

www.i2s-digibook.com